

Source Pathway - Source Inputs

AERMOD

Source Pathway - Source Inputs

AERMOD

Polygon Area Sources

Source Type: AREA POLY

Source: IVN_5 (leguves un apstrādē izmantotās tehnikas radītās dzinēju emisijas)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m ²)]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
11.00	2.00	8.63E-7	0.00	10	515686.80	306415.85
		8.63E-7			515686.80	306549.77
		8.63E-7			515670.02	306599.17
		8.63E-7			516047.69	306452.64
		8.63E-7			515998.94	306336.86
		8.63E-7			515875.05	306362.74
		8.63E-7			515808.07	306365.89
		8.63E-7			515790.27	306370.74
		8.63E-7			515753.19	306386.55
		8.63E-7			515686.45	306408.15

Source Type: AREA POLY

Source: V_5 (Ekskavators, front.iekrāvējs, pašizgāzējs)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m ²)]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
13.00	2.00	1.12E-6	0.00	4	514969.08	305278.68
		1.12E-6			514926.08	305346.85
		1.12E-6			515280.10	305384.59
		1.12E-6			515296.45	305283.34

Source Type: AREA POLY

Source: V_6 (Grunts sūknis)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m ²)]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
13.00	2.00	6.41E-7	0.00	4	514969.08	305278.68
		6.41E-7			514926.08	305346.85
		6.41E-7			515280.10	305384.59
		6.41E-7			515296.45	305283.34

Source Pathway - Source Inputs

AERMOD

Source Type: AREA POLY

Source: V_7 (Buldozers)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m^2)]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
13.00	2.00	1.73E-7	0.00	4	514969.08	305278.68
		1.73E-7			514926.08	305346.85
		1.73E-7			515280.10	305384.59
		1.73E-7			515296.45	305283.34

Source Type: AREA POLY

Source: LD_5 (Ekskavators, frontālais iekrāvējs, pašizgāzējs)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m^2)]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
11.00	2.00	2.66E-6	0.00	10	515694.11	305440.62
		2.66E-6			515566.29	305566.93
		2.66E-6			515560.39	305572.96
		2.66E-6			515548.13	305563.21
		2.66E-6			515474.52	305635.67
		2.66E-6			515497.56	305629.36
		2.66E-6			515514.87	305648.54
		2.66E-6			515606.29	305568.10
		2.66E-6			515620.11	305583.48
		2.66E-6			515726.09	305489.87

Source Pathway - Source Inputs

AERMOD

Source Type: AREA POLY

Source: LD_6 (Grunts sūkņis)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m^2)]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
11.00	2.00	1.53E-6	0.00	10	515694.11	305440.62
		1.53E-6			515566.29	305566.93
		1.53E-6			515560.39	305572.96
		1.53E-6			515548.13	305563.21
		1.53E-6			515474.52	305635.67
		1.53E-6			515497.56	305629.36
		1.53E-6			515514.87	305648.54
		1.53E-6			515606.29	305568.10
		1.53E-6			515620.11	305583.48
		1.53E-6			515726.09	305489.87

Source Type: AREA POLY

Source: LD_7 (Buldozers)

Base Elevation (Optional)	Release Height [m]	Emission Rate [g/ (s-m^2)]	Initial Vertical Dim. [m]	Number of Vertices (or sides)	X Coordinate for Vertices [m]	Y Coordinate for Vertices [m]
11.00	2.00	4.13E-7	0.00	10	515694.11	305440.62
		4.13E-7			515566.29	305566.93
		4.13E-7			515560.39	305572.96
		4.13E-7			515548.13	305563.21
		4.13E-7			515474.52	305635.67
		4.13E-7			515497.56	305629.36
		4.13E-7			515514.87	305648.54
		4.13E-7			515606.29	305568.10
		4.13E-7			515620.11	305583.48
		4.13E-7			515726.09	305489.87

Source Pathway - Source Inputs

AERMOD

Line Volume Sources

Source Type: LINE VOLUME

Source: IVN_6_1 ("Acones mežs" (grants posms) – Getliņu iela - dūmgāzes)

Length of Side [m]	Emission Rate [g/ s]	Building Height [m]	X Coordinate for Points [m]	Y Coordinate for points [m]	Base Elevation [m]	Release Height [m]
8.50	0,02460		515999.48	306329.54	11.00	2.13
			515865.57	306357.08	11.00	2.13
			515810.97	306357.14	11.00	2.13
			515674.15	306402.56	11.00	2.13
			515658.63	306411.81	11.00	2.13
			515649.70	306426.69	11.00	2.13
			515643.75	306443.71	11.00	2.13
			515635.24	306479.00	11.00	2.13
			515632.27	306496.01	11.00	2.13
			515623.76	306510.90	11.00	2.13
			515611.00	306522.81	11.00	2.13
			515598.67	306537.27	11.00	2.13
			515587.07	306551.30	11.00	2.13
			515571.76	306582.78	11.00	2.13
			515548.39	306631.89	11.00	2.13
			515533.92	306665.46	11.00	2.13
			515525.41	306680.97	11.00	2.13
			515516.40	306697.98	11.00	2.13
			515511.25	306713.58	11.00	2.13
			515498.74	306767.12	11.00	2.13
			515495.13	306782.72	11.00	2.13
			515295.48	306768.19	11.00	2.13
			515222.40	306764.55	11.00	2.13
			515078.07	306760.11	11.00	2.13
			515020.36	306757.89	11.00	2.13

Source Pathway - Source Inputs

AERMOD

Source Type: LINE VOLUME

Source: IVN_7 (Transportēšanas ceļš Getliņu iela - Granīta iela (dzinēju dūmgāzes))

Length of Side [m]	Emission Rate [g/ s]	Building Height [m]	X Coordinate for Points [m]	Y Coordinate for points [m]	Base Elevation [m]	Release Height [m]
8.50	0,06140		515019.30	306760.12	11.00	2.13
			515016.79	306799.27	11.00	2.13
			515014.96	306827.72	11.00	2.13
			515015.80	306874.42	11.00	2.13
			515019.13	306901.94	11.00	2.13
			515019.13	306918.62	11.00	2.13
			515011.63	306944.47	11.00	2.13
			515004.12	306962.82	11.00	2.13
			515001.62	306974.49	11.00	2.13
			514992.46	307104.76	11.00	2.13
			514987.36	307155.80	11.00	2.13
			514983.10	307211.09	11.00	2.13
			514977.15	307314.02	11.00	2.13
			514969.49	307411.00	11.00	2.13
			514965.65	307486.47	11.00	2.13
			514961.40	307529.85	11.00	2.13
			514957.99	307573.24	11.00	2.13
			514953.74	307626.83	11.00	2.13
			514952.89	307661.71	11.00	2.13
			514957.99	307685.53	11.00	2.13
			514962.25	307702.54	11.00	2.13
			514958.84	307731.46	11.00	2.13
			514956.69	307753.68	11.00	2.13

Source Pathway - Source Inputs

AERMOD

Source Type: LINE VOLUME

Source: LD_8_1 (Transportēšanas ceļš "Lieldimdas" – Kaudzīšu iela (dzinēja dūmgāzes))

Length of Side [m]	Emission Rate [g/ s]	Building Height [m]	X Coordinate for Points [m]	Y Coordinate for points [m]	Base Elevation [m]	Release Height [m]
8.50	0,02460		515706.52	305472.13	11.00	2.13
			515722.55	305457.38	11.00	2.13
			515685.47	305393.39	11.00	2.13
			515648.91	305336.51	11.00	2.13
			515573.46	305218.03	11.00	2.13
			515508.28	305123.65	11.00	2.13
			515471.31	305063.33	11.00	2.13
			515435.08	305008.54	11.00	2.13
			515421.46	304981.30	11.00	2.13
			515428.27	304961.84	11.00	2.13
			515494.43	304885.94	11.00	2.13
			515534.20	304841.54	11.00	2.13
			515682.10	304679.04	11.00	2.13
			515755.08	304606.06	11.00	2.13
			515758.62	304602.88	11.00	2.13
			515759.59	304602.12	11.00	2.13
			515744.05	304587.44	11.00	2.13
			515623.42	304480.89	11.00	2.13

Source Type: LINE VOLUME

Source: V_8_1 (Transportēšanas ceļš "Vēveri" – Kaudzīšu iela (dzinēja dūmgāzes))

Length of Side [m]	Emission Rate [g/ s]	Building Height [m]	X Coordinate for Points [m]	Y Coordinate for points [m]	Base Elevation [m]	Release Height [m]
8.50	0,02460		514891.76	305298.79	13.00	2.13
			514896.22	305300.74	13.00	2.13
			514906.74	305304.62	13.00	2.13
			514921.68	305304.06	13.00	2.13
			514934.41	305300.19	13.00	2.13
			514942.15	305297.42	13.00	2.13
			514950.10	305296.19	13.00	2.13

Source Pathway - Source Inputs

AERMOD

Volume Sources Generated from Line Sources

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
IVN_7	L0000492	515019.02	306764.36	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000493	515017.95	306781.13	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000494	515016.87	306797.90	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000495	515015.80	306814.67	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000496	515015.03	306831.44	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000497	515015.33	306848.24	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000498	515015.63	306865.05	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000499	515016.69	306881.79	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000500	515018.71	306898.48	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000501	515019.13	306915.25	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000502	515015.39	306931.52	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000503	515010.37	306947.55	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000504	515004.06	306963.12	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000505	515001.26	306979.65	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000506	515000.08	306996.41	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000507	514998.90	307013.17	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000508	514997.72	307029.93	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000509	514996.54	307046.70	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000510	514995.36	307063.46	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000511	514994.19	307080.22	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000512	514993.01	307096.98	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000513	514991.56	307113.72	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000514	514989.89	307130.44	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000515	514988.22	307147.16	11.00	2.13	0,00102	8.50		7.82	1.98

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
IVN_7	L0000516	514986.73	307163.90	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000517	514985.44	307180.66	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000518	514984.16	307197.41	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000519	514982.93	307214.17	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000520	514981.95	307230.94	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000521	514980.98	307247.72	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000522	514980.01	307264.50	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000523	514979.04	307281.27	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000524	514978.07	307298.05	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000525	514977.09	307314.82	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000526	514975.76	307331.57	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000527	514974.44	307348.32	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000528	514973.12	307365.08	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000529	514971.80	307381.83	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000530	514970.47	307398.58	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000531	514969.27	307415.34	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000532	514968.42	307432.12	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000533	514967.56	307448.90	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000534	514966.71	307465.68	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000535	514965.85	307482.47	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000536	514964.40	307499.20	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000537	514962.76	307515.93	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000538	514961.18	307532.66	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000539	514959.86	307549.41	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000540	514958.55	307566.16	11.00	2.13	0,00102	8.50		7.82	1.98

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
IVN_7	L0000541	514957.23	307582.91	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000542	514955.90	307599.66	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000543	514954.57	307616.41	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000544	514953.58	307633.18	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000545	514953.18	307649.98	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000546	514953.95	307666.67	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000547	514957.47	307683.10	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000548	514961.47	307699.42	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000549	514960.66	307716.04	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000550	514958.72	307732.73	11.00	2.13	0,00102	8.50		7.82	1.98
	L0000551	514957.10	307749.45	11.00	2.13	0,00102	8.50		7.82	1.98

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
IVN_6_1	L0000552	515995.32	306330.40	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000553	515978.79	306333.80	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000554	515962.26	306337.19	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000555	515945.74	306340.59	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000556	515929.21	306343.99	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000557	515912.69	306347.39	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000558	515896.16	306350.79	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000559	515879.64	306354.19	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000560	515863.06	306357.09	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000561	515846.19	306357.10	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000562	515829.32	306357.12	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000563	515812.45	306357.14	11.00	2.13	0,00033	8.50		7.85	1.98

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
IVN_6_1	L0000564	515796.36	306361.99	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000565	515780.35	306367.31	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000566	515764.33	306372.62	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000567	515748.32	306377.94	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000568	515732.31	306383.25	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000569	515716.30	306388.57	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000570	515700.28	306393.88	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000571	515684.27	306399.20	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000572	515668.82	306405.73	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000573	515656.05	306416.11	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000574	515648.21	306430.96	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000575	515642.96	306446.98	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000576	515639.01	306463.39	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000577	515635.10	306479.80	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000578	515632.06	306496.37	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000579	515623.66	306510.99	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000580	515611.33	306522.50	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000581	515600.34	306535.31	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000582	515589.56	306548.28	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000583	515581.40	306562.95	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000584	515574.02	306578.12	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000585	515566.73	306593.34	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000586	515559.48	306608.57	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000587	515552.23	306623.81	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000588	515545.25	306639.16	11.00	2.13	0,00033	8.50		7.85	1.98

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
IVN_6_1	L0000589	515538.57	306654.66	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000590	515531.46	306669.94	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000591	515523.40	306684.76	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000592	515515.80	306699.80	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000593	515510.71	306715.87	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000594	515506.87	306732.30	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000595	515503.03	306748.73	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000596	515499.20	306765.16	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000597	515495.39	306781.60	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000598	515479.45	306781.58	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000599	515462.62	306780.35	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000600	515445.79	306779.13	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000601	515428.97	306777.90	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000602	515412.14	306776.68	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000603	515395.31	306775.46	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000604	515378.48	306774.23	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000605	515361.66	306773.01	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000606	515344.83	306771.78	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000607	515328.00	306770.56	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000608	515311.18	306769.33	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000609	515294.35	306768.14	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000610	515277.50	306767.30	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000611	515260.65	306766.46	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000612	515243.80	306765.62	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000613	515226.95	306764.78	11.00	2.13	0,00033	8.50		7.85	1.98

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
IVN_6_1	L0000614	515210.09	306764.17	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000615	515193.22	306763.65	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000616	515176.36	306763.14	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000617	515159.50	306762.62	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000618	515142.63	306762.10	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000619	515125.77	306761.58	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000620	515108.91	306761.06	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000621	515092.04	306760.54	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000622	515075.18	306760.00	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000623	515058.32	306759.35	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000624	515041.46	306758.70	11.00	2.13	0,00033	8.50		7.85	1.98
	L0000625	515024.60	306758.06	11.00	2.13	0,00033	8.50		7.85	1.98

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
V_8_1	L0000626	514895.65	305300.49	13.00	2.13	0,00492	8.50		6.06	1.98
	L0000627	514907.93	305304.57	13.00	2.13	0,00492	8.50		6.06	1.98
	L0000628	514920.95	305304.09	13.00	2.13	0,00492	8.50		6.06	1.98
	L0000629	514933.44	305300.48	13.00	2.13	0,00492	8.50		6.06	1.98
	L0000630	514945.90	305296.84	13.00	2.13	0,00492	8.50		6.06	1.98

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
LD_8_1	L0000631	515709.65	305469.25	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000632	515722.10	305457.79	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000633	515714.37	305443.27	11.00	2.13	0,00032	8.50		7.87	1.98

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
LD_8_1	L0000634	515705.88	305428.63	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000635	515697.40	305413.98	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000636	515688.92	305399.34	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000637	515680.04	305384.94	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000638	515670.89	305370.71	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000639	515661.74	305356.48	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000640	515652.59	305342.24	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000641	515643.48	305327.99	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000642	515634.39	305313.71	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000643	515625.30	305299.44	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000644	515616.21	305285.17	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000645	515607.12	305270.89	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000646	515598.04	305256.62	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000647	515588.95	305242.35	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000648	515579.86	305228.07	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000649	515570.62	305213.90	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000650	515561.00	305199.98	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000651	515551.38	305186.06	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000652	515541.77	305172.14	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000653	515532.15	305158.21	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000654	515522.53	305144.29	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000655	515512.92	305130.37	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000656	515503.70	305116.18	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000657	515494.86	305101.76	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000658	515486.02	305087.33	11.00	2.13	0,00032	8.50		7.87	1.98

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
LD_8_1	L0000659	515477.17	305072.90	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000660	515468.17	305058.58	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000661	515458.83	305044.47	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000662	515449.50	305030.35	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000663	515440.17	305016.24	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000664	515431.64	305001.66	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000665	515424.07	304986.53	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000666	515425.12	304970.84	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000667	515433.12	304956.28	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000668	515444.24	304943.52	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000669	515455.36	304930.77	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000670	515466.48	304918.01	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000671	515477.59	304905.26	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000672	515488.71	304892.50	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000673	515499.92	304879.82	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000674	515511.20	304867.22	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000675	515522.49	304854.61	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000676	515533.78	304842.00	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000677	515545.17	304829.49	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000678	515556.55	304816.97	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000679	515567.94	304804.46	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000680	515579.33	304791.95	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000681	515590.72	304779.43	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000682	515602.11	304766.92	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000683	515613.50	304754.40	11.00	2.13	0,00032	8.50		7.87	1.98

Source Pathway - Source Inputs

AERMOD

Line Source ID	Volume Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation [m]	Release Height [m]	Emission Rate [g/s]	Length of Side [m]	Building Height [m]	Initial Lateral Dimencion [m]	Initial Vertical Dimencion [m]
LD_8_1	L0000684	515624.89	304741.89	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000685	515636.28	304729.38	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000686	515647.67	304716.86	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000687	515659.06	304704.35	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000688	515670.45	304691.84	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000689	515681.84	304679.32	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000690	515693.79	304667.34	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000691	515705.76	304655.38	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000692	515717.72	304643.42	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000693	515729.69	304631.45	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000694	515741.65	304619.49	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000695	515753.62	304607.52	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000696	515753.14	304596.04	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000697	515740.74	304584.53	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000698	515728.06	304573.32	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000699	515715.38	304562.12	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000700	515702.70	304550.92	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000701	515690.01	304539.72	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000702	515677.33	304528.51	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000703	515664.65	304517.31	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000704	515651.97	304506.11	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000705	515639.29	304494.91	11.00	2.13	0,00032	8.50		7.87	1.98
	L0000706	515626.61	304483.70	11.00	2.13	0,00032	8.50		7.87	1.98